

Purchase Order Receipt Listing

Friday, March 21, 2014 8:34:43 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO23277 Receipt Dates from 3/21/2014 to 3/21/2014 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO23277	1		M6061T6B0.625X01. f 500		3/13/2014	3/21/2014	12.0000	\$2.26	0.0000	0	\$27.09
CAD	No		6061-T6 Bar .625 x f 1.50 m128573		12.0000	DES102		\$27.09	0.0000	0	
	2		M6061T6B1.500X01. f 250		3/13/2014	3/21/2014	12.0000	\$3.91	0.0000	0	\$46.96
	No		6061-T6 Bar 1.50 x f 1.25 m128573		12.0000	DES102		\$46.96	0.0000	0	
	3		M6061T6B4.500X4.5 f 00		3/13/2014	3/21/2014	6.0000	\$45.01	0.0000	0	\$270.09
	No		6061-T6 Aluminum Bar 4.500" X 4.500" m128573		6.0000	DES102		\$270.09	0.0000	0	
	4		M6061T6R0.750 f 6061-T6 Round Bar .750"		3/13/2014	3/21/2014	24.0000	\$1.13	0.0000	0	\$27.09
	No		m128573		24.0000	DES102		\$27.09	0.0000	0	
	7		M6061T6B2.000X05. f 000		3/13/2014	3/21/2014	12.0000	\$19.26	0.0000	0	\$231.17
	No		6061T6 Bar 2.00 x f 5.000 m128573		12.0000	DES102		\$231.17	0.0000	0	
	8		71401-45		3/13/2014	3/21/2014	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m128573		1.0000	DES102		\$0.00	0.0000	0	

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MIRB Qty/ MIRB Reject Qty	Book Amt
<div> <div>Total Received Quantity:</div> <div>Total Qty to Inspect (PO U/M):</div> <div>Total Reject Quantity:</div> <div>Total Receipt Value:</div> <div>Total Balance Due Quantity:</div> </div>											67.0000 0.0000 0.0000 \$602.39 0.0000

SHIP FROM:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

23
No: PEC 868210
Ship Date 18Mar14 at 10:03 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

① Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-662668- 1 Your PO # 23277
ALUMINUM FLAT BAR 6061-T6511

.625" x 1.50" X 144.0000"

Heat Number

Z00253054

Tag No

272618

Quantity

12 FT

PCS

1

Wt LBS

13

2) Our Order PEC-662668- 2 Your PO # 23277
ALUMINUM FLAT BAR 6061-T6511

1.250" x 1.50" X 144.0000"

Heat Number

Z00261047

Tag No

272619

Quantity

12 FT

PCS

1

Wt LBS

26

3) Our Order PEC-662668- 3 Your PO # 23277
ALUMINUM SQUARE BAR 6061-T6511

4.50" X 72.0000"

Heat Number

HK858-093

Tag No

272703

Quantity

6 FT

PCS

1

Wt LBS

143

4) Our Order PEC-662668- 4 Your PO # 23277
ALUMINUM ROUND BAR 6061-T6511

.750" DIA X 144.0000"

Heat Number

40959-175

Tag No

272620

Quantity

24 FT

PCS

2

Wt LBS

13

5) Our Order PEC-662668- 5 Your PO # 23277
ALUMINUM FLAT BAR 6061-T6511

2.00" x 5.00" X 144.0000"

Heat Number

Z00657015

Tag No

272621

Quantity

12 FT

PCS

1

Wt LBS

140

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

SHIP FROM:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

SHIP TO: (1)
DART AEROSPACE

B I L L O F L A D I N G
No: PEC 868210
Ship Date 18Mar14 at 10:03 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

B I L L O F L A D I N G

TOTAL: Tags 5 PCS 6 LBS 335

Heat Number *** Chemical Analysis ***
40959-175
HK858-093
Z00253054
Z00261047
Z00657015

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 2 BDLS G.W. 364 LBS

ITEMS (1,2,4,5) BDL
ITEM (3) BDL

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511
.625" X 1.50" X 144.0000"

PART NO.

PO/Ref 23277

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-868210-001

18Mar14

Pg 1/1

Signed by: _____

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PEC-255139-1		CUSTOMER PART NUMBER: 388/STK		PRODUCT DESCRIPTION: .625 X 1.500 SC RECT BAR	
KAISER ORDER NUMBER: 658649	LINE ITEM: 001	SHIP DATE: 01/17/2014	KAISER LOT NUMBER: Z00253054	ALLOY: 6061	TEMPER: T6511
WEIGHT SHIPPED: 529.000 LB	QUANTITY: 40.000 PCS	B/L NUMBER: 607977	DIAM/DEF THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
Z00253054	0001	1	50.0	46.5	17.0	RE 93	N/A	N/A
Z00253054	0001	2	49.8	46.2	14.0	RE 94	N/A	N/A
Z00253054	0001	3	49.4	45.6	17.0	RE 93	N/A	N/A
Z00253054	0001	4	50.6	47.0	17.0	RE 94	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
103408	.71	.26	.24	.09	.95	.10	.02	.03	.00	.00	.00	.01	.03

Applicable Requirements:

ASTM-B221-13 STENCILED ASME-SB221 1998 SECT II AMS-QQ-A-200/B-97 (REAF 2012) UNS#A96061
(T6511 also conforms to T6-not applicable to other tempers)

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Aimee L. Macnowski, Quality & Technology Manager

Aimee L. Macnowski

Plant Serial: 00119545

Kaiser Order Number: 658649

Line Item: 001

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 6061T6 .625X1.5
 RECEIVED BY: Sonia
 DATE: 14/03/21
 P/O# 23277 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 12 QUANTITY RECEIVED: 12
 THICKNESS ORDERED: .625X1.50 THICKNESS RECEIVED: .625X1.50
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
INCORRECT FINISH	Y <input checked="" type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/>	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/>	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/>	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>23277</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>200253054</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>M128573</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>any</u>	BY: _____
DATE: <u>14/03/21</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM SQUARE BAR 6061-T6511

4.50" X 72.0000"

PART NO.

PO/Rel 23277

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-868210-003

18Mar14

Pg 1/1

Signed by:

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PEC-246428-2		CUSTOMER PART NUMBER: ALSQ00052		PRODUCT DESCRIPTION: 4.500 SC SQ BAR	
KAISER ORDER NUMBER: 638672	LINE ITEM: 002	SHIP DATE: 03/05/2013	KAISER LOT NUMBER: HK858-093	ALLOY: 6061	TEMPER: T6511
WEIGHT SHIPPED: 1143.000 LB	QUANTITY: 4.000 PCS	B/L NUMBER: 605678	DIAM/DAF/THKNS: 4.500	WIDTH: 72.000	LENGTH: 12.000 FT
SHIP TO: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
HK858-093	C001	0001	53.1	47.8	17.6	RE 96	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.30	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
A33588	.70	.29	.25	.08	.97	.08	.02	.01	.00	.00	.30	.01	.02

Applicable Requirements:

ASTM-B221-12 STENCILED ASME-SB221 1998 SECT II AMS-QQ-A-200/8 (2007) UNS#A96061
(T6511 also conforms to T6-not applicable to other tempers)

Miscellaneous Notes

MANUFACTURED IN USA (COMMERCE,CA) MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Calvin Latting, Quality & Technology Manager

Calvin Latting

Plant Serial: 00080423

Kaiser Order Number: 638672

Line Item: 002

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 176.0076 4.5X4.5
 RECEIVED BY: Sonya
 DATE: 14/03/21
 P/O# 23277
 QUANTITY ORDERED: 6
 THICKNESS ORDERED: 4.5X4.5
 SHEET SIZE: _____
 MATERIAL CERT RECEIVED: yes
 QUANTITY RECEIVED: 6
 THICKNESS RECEIVED: 4.5X4.5
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>23277</u> <u>HK858-093</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>M128573</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>any</u>	BY: _____
DATE: <u>14/03/21</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511

2.00" x 5.00" x 144.0000"

PART NO.

PO/Ref 23277

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-868210-005

18Mar14

Pg 1/1

Signed by:

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PEC-255660-1		CUSTOMER PART NUMBER: 497/STK		PRODUCT DESCRIPTION: 2.000 X 5.000 SC RECT BAR	
KAISER ORDER NUMBER: 660026	LINE ITEM: 001	SHIP DATE: 02/07/2014	KAISER LOT NUMBER: Z00657015	ALLOY: 6061	TEMPER: T6511
WEIGHT SHIPPED: 847.000 LB	QUANTITY: 6.000 PCS	B/L NUMBER: 608161	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
Z00657015	0001	1	55.5	52.3	15.7	RE 94	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
103485	.76	.34	.29	.09	.93	.10	.05	.02	.00	.00	.00	.01	.03

Applicable Requirements:

ASTM-B221-13 STENTILED ASME-SB222 1998 SECT II AMS-QQ-A-200/8 97 (REAF 2012) UNS#A96C61
(T6511 also conforms to T6-rot applicable to other tempers)

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILITIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Aimee L. Macnowski, Quality & Technology Manager

Aimee L. Macnowski

Plant Serial: 00122653

Kaiser Order Number: 660026

Line Item: 001

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: Al6061T6 2.0X5.0
 RECEIVED BY: Sony
 DATE: 14/03/21
 P/O# 23277 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 12 QUANTITY RECEIVED: 12
 THICKNESS ORDERED: 2.0 X 5.0 THICKNESS RECEIVED: 2.0 X 5.0
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>23277</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>200657015</u>
		<u>M128573</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>Sony</u>	BY: _____
DATE: <u>14/03/21</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511

1.250" x 1.500" x 144.0000"

PART NO:

PO/Ref 23277

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-868210-002

18Mar14

Signed by:

Pg 1/1

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PEC-253464-2		CUSTOMER PART NUMBER: ALREC00007		PRODUCT DESCRIPTION: 1.250 X 1.500 SC RECT BAR	
KAISER ORDER NUMBER: 654862	LINE ITEM: 002	SHIP DATE: 11/08/2013	KAISER LOT NUMBER: Z00261047	ALLOY: 6061	TEMPER: T6511
WEIGHT SHIPPED: 476.000 LB	QUANTITY: 18.000 PCS	B/L NUMBER: 607522	DIAM/DAF/THKNS: 1.250	WIDTH: 1.500	LENGTH: 12.000 FT
SHIP TO: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO: THYSSENKRUPP MATERIALS NA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
Z00261047	0001	1	49.6	46.0	17.7	RE 93	N/A	N/A
Z00261047	0001	2	53.3	49.9	16.7	RE 93	N/A	N/A
Z00261047	0001	3	50.3	46.7	16.7	RE 93	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
103099	.70	.25	.25	.08	.97	.10	.32	.02	.00	.00	.00	.01	.03

Applicable Requirements:

ASTM-B221-13 STENCILED ASME-SB221-1998 SECT II AMS-QQ-A-200/8 97 (REAF 2012) UNS#A96061
(T6511 also conforms to T6-not applicable to other tempersi

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Timothy K. Fargo, Quality & Technology Manager

[Signature]

Plant Serial: 00112449
Kaiser Order Number: 654862
Line Item: 002

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M606T6 1.50X1.25
 RECEIVED BY: Sonia
 DATE: 14/03/21
 P/O# 23277 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 12 QUANTITY RECEIVED: 12
 THICKNESS ORDERED: 1.50X1.25 THICKNESS RECEIVED: 1.50X1.25
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	23277
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	200264047
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	M128573
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>ony</u>	BY: _____
DATE: <u>14/03/21</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511

.750" DIA X 144.0000"

PART NO.

PO/Ref 23277

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-668210-004

18Mar14

Signed by:

Pg 1/2

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PEC-255994-4		CUSTOMER PART NUMBER: 501/STK		PRODUCT DESCRIPTION: KAISERSELECT PRECISION ROD .750 +/- .004	
KAISER ORDER NUMBER: 660835	LINE ITEM: 004	SHIP DATE: 02/21/2014	KAISER LOT NUMBER: 40959-175	ALLOY: 6061	TEMPER: T6511B
WEIGHT SHIPPED: 1034.000 LB	QUANTITY: 166.000 PCS	B/L NUMBER: 608271	DIAM/DA/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO: THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
40959-175	0001	1	51.1	47.6	10.0	RE 94	N/A	N/A
40959-175	0001	10	51.0	47.8	11.0	RE 94	N/A	N/A
40959-175	0001	11	49.6	46.1	10.0	RE 94	N/A	N/A
40959-175	0001	12	50.2	46.1	10.0	RE 94	N/A	N/A
40959-175	0001	13	49.8	45.7	11.0	RE 94	N/A	N/A
40959-175	0001	14	50.6	46.6	10.0	RE 94	N/A	N/A
40959-175	0001	15	49.4	45.1	11.0	RE 94	N/A	N/A
40959-175	0001	2	49.6	46.4	10.0	RE 94	N/A	N/A
40959-175	0001	3	49.8	46.7	12.0	RE 94	N/A	N/A
40959-175	0001	4	48.7	44.9	14.0	RE 94	N/A	N/A
40959-175	0001	5	49.0	45.3	11.0	RE 94	N/A	N/A
40959-175	0001	6	49.4	45.9	13.0	RE 94	N/A	N/A
40959-175	0001	7	50.5	46.8	10.0	RE 94	N/A	N/A
40959-175	0001	8	50.2	46.7	11.0	RE 94	N/A	N/A
40959-175	0001	9	50.5	46.7	10.0	RE 94	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	0.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
H44619	.73	.37	.30	.10	.93	.10	.07	.03	.01	.00	.00	.01	.03
H44618	.75	.38	.29	.08	.95	.09	.06	.03	.01	.00	.00	.01	.04

Applicable Requirements:

PER ASTM-B221-13, STENCILED ASME-SS221-1998 SECT II PER AMS-QQ-A-200/8 (REAF 2012)
UNS# A96061 MEETS ALL SPECIFICATION REQUIREMENTS FOR 6061-T6511/T6 ELEVATED MINIMUM
MECHANICAL PROPERTIES AS FOLLOWS: UTS = 42.0 KSI MIN YIELD = 38.0 KSI MIN ELONGATION
= 10.0% MIN

Plant Serial: 00124122

Kaiser Order Number: 660835

Line Item: 004

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511
.750" DIA X 144.0000"
PART NO.

PO/Rel 23277

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-868210-004

18Mar14

Signed by: _____

Pg 2/2

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Miscellaneous Notes

MANUFACTURED IN USA (SHERMAN, TX) MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY
OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Aimee L. Macnowski, Quality & Technology Manager

Aimee H. Macneil

Plant Serial: 00124422

Kaiser Order Number: 660835

Line Item: 004

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 R.750
 RECEIVED BY: Sonia
 DATE: 14/03/21
 P/O# 23277 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 24 QUANTITY RECEIVED: 24
 THICKNESS ORDERED: R.750 THICKNESS RECEIVED: R.750
 SHEET SIZE: _____ SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>23277</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>40959-175</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<u>M128573</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	BY: _____
DATE: <u>14/03/21</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23277**

Purchase Order Date 3/7/2014

PO Print Date 3/7/2014

Page Number 1 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FA
CL 14/03/17

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	905 669 9444	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:			

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6B0.625X01.500	6061-T6 Bar .625 x 1.50	3/13/2014 Yes 3/13/2014		12.00 f	\$2.50	\$30.00
MATERIAL: 6061-T6/T651/T6510/6511T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221							
Line Total:							\$30.00
2	M6061T6B1.500X01.250	6061-T6 Bar 1.50 x 1.25	3/13/2014 Yes 3/13/2014		12.00 f	\$4.33	\$52.00
MATERIAL: 6061-T6/T651/T6510/6511T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221							
Line Total:							\$52.00

SP14-3-21

PO Instructions: ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658906

Note:

3/7/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23277**

Purchase Order Date 3/7/2014

PO Print Date 3/7/2014

Page Number 2 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

3	M6061T6B4.500X4.500	6061-T6 Aluminum Bar 4.500" X 4.500"	3/13/2014	6.00	✓	\$49.85	\$299.10
			No 3/13/2014	f			

MATERIAL: 6061-T6/T651/T6510/6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$299.10

4	M6061T6R0.750	6061-T6 Round Bar .750"	3/13/2014	24.00	✓	\$1.25	\$30.00
			Yes 3/13/2014	f			

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$30.00

5	M303B1.000X03.000	303 BAR 1" X 3'	3/13/2014	12.00	✓	\$46.67	\$559.98
			No 3/13/2014	f			

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

PO Instructions: ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658906

Note:

3/7/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23277**

Purchase Order Date 3/7/2014

PO Print Date 3/7/2014

Page Number 3 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Total: \$559.98

6 M303B1.000X2.000 303 BAR 1" X 2" 3/13/2014
Yes
3/13/2014

24.00 f \$30.97 \$743.28

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

✓
14/3/14

Line Total: \$743.28

7 M6061T6B2.000X05.000 6061T6 Bar 2.00 x 5.000 3/13/2014
Yes
3/13/2014

12.00 f \$21.33 \$256.00

MATERIAL: 6061-T6/T651/T6510/6511T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

✓
SP14-3-21

NOTE: PLEASE CUT MATERIAL IN 6 FT LENGHT

Line Total: \$256.00

PO Instructions: ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658906

Note:

3/7/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23277

Purchase Order Date 3/7/2014

PO Print Date 3/7/2014

Page Number 4 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	905 669 9444	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:			

8	71401-45	PROCUREMENT QUALITY CLAUSES	3/13/2014	1.00	\$0.00	\$0.00
			No			
			3/13/2014			
		Procurement Quality Clauses				
		A005 right of entry				
		A012 chemical and physical test report				
		A016 personnel qualification				
		A017 raw material identification (as applicable)				
		A026certification of material conformance				
		A041 quality management system				
		A042 dart notification by supplier				
		A043 retention of quality document				

Line Total: \$0.00

PO Total: \$1,970.36

PO Instructions: ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658581
ORDER NO: PEC ST-658906

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 3/7/2014